

- 1) C. Yokoyama, H. Tsukada, Y. Watanabe, H. Onoe, A dynamic shift of neural network activity before and after learning-set formation, *Cereb Cortex* (In press).
- 2) N. Harada, H. Ohba, D. Fukumoto, T. Kakiuchi, H. Tsukada, Potential of [<sup>18</sup>F]β-CFT-FE (2β-Carbomethoxy-3β-(4-fluorophenyl)-8-(2-[<sup>18</sup>F]fluoro-ethyl)nortropine) as a dopamine transporter ligand: A PET study in the conscious monkey brain, *Synapse* 54 (2004) 37-45.
- 3) K. Hashimoto, H. Tsukada, S. Nishiyama, D. Fukumoto, T. Kakiuchi, E. Shimizu, M. Iyo, Protective effects of N-acetyl-L-cysteine on the reduction of dopamine transporters in striatum of monkey treated with methamphetamine, *Neuropsychopharmacology* 29 (2004) 2018-2023.
- 4) H. Takamatsu, T. Kakiuchi, A. Noda, H. Uchida, S. Nishiyama, R. Ichise, A. Iwashita, K. Mihara, S. Yamazaki, N. Matsuoka, H. Tsukada, S. Nishimura, An application of a new planar positron imaging system (PPIS) in a small animal: MPTP-induced parkinsonism in mouse, *Ann Nucl Med* 18 (2004) 427-431.
- 5) H. Tsukada, D. Fukumoto, S. Nishiyama, K. Sato, T. Kakiuchi, Transient Focal ischemia affects the cAMP second messenger system and coupled dopamine D<sub>1</sub> and 5-HT<sub>1A</sub> receptors in the living monkey brain: a PET study using microdialysis, *J Cereb Blood Flow Metab* 24 (2004) 898-906.
- 6) Y. Iida, M. Ogawa, M. Ueda, A. Tominaga, H. Kawashima, Y. Magata, S. Nishiyama, H. Tsukada, T. Mukai, H. Saji, Evaluation of 5-[<sup>11</sup>C]Methyl-A-85380 as an imaging agent for PET investigations of brain nicotinic acetylcholine receptors, *J Nucl Med* 45 (2004) 878-884.
- 7) P.H. Elsinga, H. Tsukada, N. Harada, T. Kakiuchi, K. Kawamura, W. Vaalbulg, Y. Kimura, T. Kobayashi, K. Ishiwata, Evaluation of [<sup>18</sup>F]fluorinated sigma receptor ligands in the conscious monkey brain, *Synapse* 52 (2004) 29-37.
- 8) H. Tsukada, S. Nishiyama, D. Fukumoto, H. Ohba, K. Sato, T. Kakiuchi, Effects of acute acetylcholinesterase inhibition on the cerebral cholinergic neuronal system and cognitive function: functional imaging of the conscious monkey brain using animal PET in combination with microdialysis, *Synapse* 52 (2004) 1-10.
- 9) K. Ishiwata, K. Kawamura, W.-F. Wang, H. Tsukada, N. Harada, H. Mochizuki, Y. Kimura, K. Ishii, R. Iwata, K. Yanai, Evaluation of in vivo selective binding of [<sup>11</sup>C]doxepine to histamine H<sub>1</sub> receptors in five animal species, *Nucl Med Biol* 31 (2004) 493-502.
- 10) M. Inoue, A. Mikami, I. Ando, H. Tsukada, Functional brain mapping of the macaque related to spatial working memory as revealed by PET, *Cereb Cortex* 14 (2004) 106-119.
- 11) T. Sasabe, M. Kobayashi, Y. Kondo, H. Onoe, S. Matsubara, S. Yamamoto, H. Tsukada, K. Onoe, H. Watabe, H. Iida, M. Koga, K. Sano, A. Hatanaka, T. Sawada, Y. Watanabe, Activation of the anterior cingulate gyrus by green odor: a monkey positron emission tomography study, *Chem Senses* 28 (2003) 565-572.
- 12) A. Noda, H. Takamatsu, S. Minoshima, H. Tsukada, S. Nishimura, Determination of kinetic rate constants for FDG and partition coefficient of water in conscious macaque and alterations in aging or anesthesia examined on parametric images with an anatomic standardization technique, *J Cereb Blood Flow Metab* 23 (2003) 1441-1447.
- 13) Y. Sekine, Y. Minabe, Y. Ouchi, N. Takei, M. Iyo, K. Nakamura, K. Suzuki, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi, N. Mori, Association of dopamine transporter loss in the orbitofrontal and dorsolateral prefrontal cortices with methamphetamine-related psychiatric symptoms, *Am J Psychiatry* 160 (2003) 1699-1701.
- 14) K. Yanamoto, R. Hosoi, Y. Uesaka, K. Abe, H. Tsukada, O. Inoue, Intra-striatal microinjection of sodium nitroprusside induces cell death and reduces binding of dopaminergic receptors, *Synapse* 50 (2003) 137-143.
- 15) A. Noda, H. Takamatsu, N. Matsuoka, S. Koyama, H. Tsukada, S. Nishimura, Effect of FK960, an anti-dementia drug with a novel mechanism of action, on regional cerebral blood flow and glucose metabolism in aged rhesus macaques studies with positron emission tomography, *J Pharmacol Exper Ther* 306 (2003) 213-217.
- 16) K. Kawamura, Y. Kimura, H. Tsukada, T. Kobayashi, S. Nishiyama, T. Kakiuchi, H. Ohba, N. Harada, K. Matsuno, K. Ishii, K. Ishiwata, An increase in sigma 1 receptors in the aged monkey brain: a positron emission tomography study with [<sup>11</sup>C]SA4503, *Neurobiol Age* 24 (2003) 745-752.
- 17) O. Inoue, K. Yanamoto, Y. Fujiwara, R. Hosoi, K. Kobayashi, H. Tsukada, Sensitivity of benzodiazepine receptor binding and muscarinic acetylcholine receptor binding for the detection of neural cell death caused by sodium nitroprusside microinjection in rat brain, *Synapse* 49 (2003) 134-141.
- 18) H. Engler, P.O. Lundberg, K. Ekblom, I. Nennesmo, A. Nilsson, M. Bergstrom, H. Tsukada, P. Hartvig, B. Langstrom, Multitracer study with positron emission tomography in Creutzfeldt-Jakob disease, *Eur J Nucl Med Mol Imaging* 30 (2003) 85-95.
- 19) H. Tsukada, K. Miyasato, T. Kakiuchi, S. Nishiyama, N. Harada, E. F. Domino, Comparative effects of methamphetamine and nicotine on the striatal [<sup>11</sup>C]raclopride binding in unanesthetized monkeys, *Synapse* 45 (2002) 207-212.
- 20) M. Iwase, Y. Ouchi, H. Okada, C. Yokoyama, S. Nobezawa, E. Yoshikawa, H. Tsukada, M. Takeda, K.

- Yamashita, M. Takeda, K. Yamaguchi, H. Kuratsune, A. Shimizu, Y. Watanabe, Neural substrates of human facial expression of pleasant emotion induced by comic films: a PET study, *NeuroImage* 17 (2002) 758-768.
- 21) Y. Murakami, S. Nishimura, A. Noda, N. Harada, H. Tsukada, Synthesis of  $^{18}\text{F}$  labeled FK960, a candidate anti-dementia drug, and PET studies in conscious monkeys, *J Label Compd Radiopharm* 45 (2002) 1219-1228.
  - 22) A. Noda, H. Ohba, T. Kakiuchi, M. Futatsubashi, H. Tsukada, S. Nishimura, Age-related changes in cerebral blood flow and glucose metabolism in conscious Rhesus monkeys, *Brain Res.* 936 (2002) 76-81.
  - 23) N. Harada, S. Nishiyama, D. Fukumotio, T. Kakiuchi, H. Tsukada, Age-related changes in the striatal dopaminergic system in the living brain: a multiparametric PET study in conscious monkeys, *Synapse* 45 (2002) 38-45.
  - 24) N. Harada, H. Ohba, S. Nishiyama, K. Sato, T. Kakiuchi, H. Tsukada, Age differences of phosphodiesterase type-IV and its functional response to dopamine  $\text{D}_1$  receptor modulation in the living brain: a PET study in conscious monkeys, *Synapse* 44 (2002) 139-145.
  - 25) L. Zhao, T. Yamashita, X.-D. Wang, A. Tonchev, J. Yamashita, T. Kakiuchi, S. Nishiyama, S. Kuhara, K. Takahashi, H. Tsukada, PET imaging of ischemic neuronal death in the hippocampus of living monkey, *Hippocampus* 12 (2002) 309-318.
  - 26) H. Takamatsu, H. Tsukada, Y. Watanabe, Y. Cui, Y. Kataoka, T. Hosoya, M. Suzuki, Y. Watanabe, Specific ligand for a central type prostacycline receptor attenuates damage in a rat model of focal cerebral ischemia, *Brain Res.* 925 (2002) 176-182.
  - 27) P.H. Elsinga, K. Kawamura, T. Kobayashi, H. Tsukada, M. Senda, W. Vaalbulg, K. Ishiwata, Synthesis and evaluation of [ $^{18}\text{F}$ ]fluoroethyl SA4503 as a PET ligand for the sigma receptor, *Synapse* 43 (2002) 259-267.
  - 28) H. Takamatsu, H. Tsukada, A. Noda, T. Kakiuchi, S. Nishiyama, S. Nishimura, K. Umemura, FK506 attenuates early ischemic neuronal death in a monkey model of stroke, *J Nucl Med* 42 (2001) 1833-1840.
  - 29) H. Tsukada, S. Nishiyama, T. Kakiuchi, H. Ohba, K. Sato, N. Harada, Ketamine alters the availability of striatal dopamine transporter as measured by [ $^{11}\text{C}$ ] $\beta$ -CFT and [ $^{11}\text{C}$ ] $\beta$ -CIT-FE in the monkey brain, *Synapse* 42 (2001) 273-280.
  - 30) Y. Sekine, M. Iyo, Y. Ouchi, T. Matsunaga, H. Tsukada, H. Okada, E. Yoshikawa, M. Futatsubashi, N. Takei, N. Mori, Methamphetamine-related psychiatric symptoms and reduced brain dopamine transporters studied with PET, *Am. J. Psychiatry* 158 (2001) 1206-1214.
  - 31) H. Tsukada, N. Harada, H. Ohba, S. Nishiyama, T. Kakiuchi, Facilitation of dopamine neuronal transmission does not affect [ $^{11}\text{C}$ ]SCH23390 binding to the striatal  $\text{D}_1$  dopamine receptors, but the facilitation enhances phosphodiesterase type-IV activity through  $\text{D}_1$  receptors: PET studies in the conscious monkey brain, *Synapse* 42 (2001) 258-265.
  - 32) H. Tsukada, T. Kakiuchi, S. Nishiyama, H. Ohba, N. Harada, Effects of aging on 5-HT $_{1A}$  receptors and their functional response to 5-HT $_{1A}$  agonist in the living brain: PET study with [carbonyl- $^{11}\text{C}$ ]WAY-100635 in conscious monkeys, *Synapse* 42 (2001) 242-251.
  - 33) H. Tsukada, S. Nishiyama, H. Ohba, K. Sato, N. Harada, T. Kakiuchi, Cholinergic neuronal modulations affect striatal dopamine transporter activity: PET studies in the conscious monkey brain, *Synapse* 42 (2001) 193-195.
  - 34) T. Kakiuchi, H. Ohba, S. Nishiyama, K. Sato, N. Harada, S. Nakanishi, H. Tsukada, Age-related changes in muscarinic cholinergic receptors in the living brain: a PET study using N-[ $^{11}\text{C}$ ]methyl-4-piperidyl benzilate combined with cerebral blood flow measurement in conscious monkey brain, *Brain Res.* 916 (2001) 22-31.
  - 35) H. Tsukada, T. Kakiuchi, S. Nishiyama, H. Ohba, K. Sato, N. Harada, K. Takahashi, Age differences in muscarinic cholinergic receptors assayed with (+)N-[ $^{11}\text{C}$ ]methyl-3-piperidyl benzilate in the brains of conscious monkeys, *Synapse* 41 (2001) 248-257.
  - 36) H. Tanaka, H. Onoe, H. Tsukada, I. Fujita, Attentional modulation of neural activity in the macaque inferior temporal cortex during global and local processing, *Neuroscience Research* 39 (2001) 469-472.
  - 37) K. Ishiwata, H. Tsukada, K. Kawamura, Y. Kimura, S. Nishiyama, T. Kobayashi, K. Matsuno, M. Senda, Mapping of CNS sigma $_1$  receptors in the conscious monkey brain: a preliminary PET study with [ $^{11}\text{C}$ ]SA4503, *Synapse* 40 (2001) 235-237.
  - 38) T. Kakiuchi, H. Tsukada, S. Nishiyama, H. Ohba, K. Sato, N. Harada, Effects of aging on serotonin transporter availability and its response to fluvoxamine in the living brain: PET study with [ $^{11}\text{C}$ ](+)McN5652 and [ $^{11}\text{C}$ ](-)McN5652 in conscious monkeys, *Synapse* 40 (2001) 170-179.
  - 39) S. Nishiyama, H. Tsukada, K. Sato, T. Kakiuchi, H. Ohba, N. Harada, K. Takahashi, Evaluation of PET ligands (+)N-[ $^{11}\text{C}$ ]ethyl-3-piperidyl benzilate and (+)N-[ $^{11}\text{C}$ ]propyl-3-piperidyl benzilate for muscarinic cholinergic receptors: a PET study with microdialysis in comparison with (+)N-[ $^{11}\text{C}$ ]methyl-3-piperidyl benzilate in the conscious monkey brain, *Synapse* 40 (2001) 159-169.
  - 40) H. Onoe, M. Komori, K. Onoe, H. Takechi, H. Tsukada, Y. Watanabe, Cortical networks recruited for time perception: a monkey positron emission tomography (PET) study, *NeuroImage* 13 (2001) 37-45.
  - 41) H. Tsukada, K. Takahashi, S. Miura, S. Nishiyama, T. Kakiuchi, H. Ohba, K. Sato, J. Hatazawa, T. Okudera, Evaluation of novel PET ligands (+)N-[ $^{11}\text{C}$ ]methyl-3-piperidyl benzilate ([ $^{11}\text{C}$ ](+)3-MPB) and its stereoisomer [ $^{11}\text{C}$ ](-)3-MPB for muscarinic cholinergic receptors in the conscious monkey brain; a PET study in comparison

- with [<sup>11</sup>C]4-MPB, *Synapse* 39 (2001) 182-192.
- 42) K. Terada, S. Inao, N. Mizutani, H. Tsukada, J. Yoshida, Cerebral blood flow, glucose metabolism and TUNEL-positive cells in the development of ischemia, *Cerebrovasc. Dis.* 11 (2001) 9-19.
  - 43) D. J. Cross, S. Minoshima, S. Nishimura, A. Noda, H. Tsukada, D. E. Kuhl, Three-dimensional stereotactic surface projection (3D-SSP) analysis of macaque Brain PET: development and initial application, *J. Nucl. Med.* 41 (2000) 1879-1887.
  - 44) H. Tsukada, N. Harada, S. Nishiyama, H. Ohba, T. Kakiuchi, Cholinergic neuronal modulation alters dopamine D<sub>2</sub> receptor availability in vivo by regulating receptor affinity induced by facilitated synaptic dopamine turnover: PET studies with microdialysis in the conscious monkey brain, *J. Neurosci.* 20 (2000) 7067-7073.
  - 45) T. Kakiuchi, S. Nishiyama, K. Sato, H. Ohba, S. Nakanishi, H. Tsukada, Age-related reduction of [<sup>11</sup>C]MDL100,907 binding to central 5-HT<sub>2A</sub> receptors: PET study in the conscious monkey brain, *Brain Res.* 883 (2000) 135-142.
  - 46) H. Takamatsu, H. Tsukada, T. Kakiuchi, M. Tatsumi, K. Umemura, Change of local cerebral blood flow in photochemically-induced thrombotic occlusion model in rats, *Eur. J. Pharmacol.* 398 (2000) 375-379.
  - 47) H. Takamatsu, H. Tsukada, T. Kakiuchi, S. Nishiyama, A. Noda, K. Umemura, Detection of reperfusion injury using positron emission tomography in a monkey model of cerebral ischemia, *J. Nucl. Med.* 41 (2000) 1409-1416.
  - 48) H. Tsukada, N. Harada, S. Nishiyama, H. Ohba, K. Sato, D. Fukumoto, T. Kakiuchi, Ketamine decreased striatal [<sup>11</sup>C]raclopride binding with no alteration in static dopamine concentrations in the striatal extracellular fluid in the monkey brain: Multi-parametric PET studies combined with microdialysis analysis, *Synapse* 37 (2000) 95-103.
  - 49) H. Tsukada, N. Harada, S. Nishiyama, H. Ohba, T. Kakiuchi, Dose response and duration effects of acute administration of cocaine and GBR12909 on dopamine synthesis and transporter in the conscious monkey brain: PET studies combined with microdialysis, *Brain Res.* 860 (2000) 141-148.
  - 50) H. Tsukada, T. Kakiuchi, D. Fukumoto, S. Nishiyama, K. Koga, Docosahexaenoic acid (DHA) improves the age-related impairment of the coupling mechanism between neuronal activation and functional cerebral blood flow response: a PET study in conscious monkeys, *Brain Res.* 862 (2000) 180-186.
  - 51) H. Tsukada, K. Sato, T. Kakiuchi, S. Nishiyama, Age-related impairment of coupling mechanism between neuronal activation and functional cerebral blood flow response was restored by cholinesterase inhibition: PET study with microdialysis in the awake monkey brain, *Brain Res.* 857 (2000) 158-164.
  - 52) H. Tsukada, S. Nishiyama, T. Kakiuchi, H. Ohba, K. Sato, N. Harada, S. Nakanishi, Isoflurane anesthesia enhances the inhibitory effects of cocaine and GBR12909 on dopamine transporter: PET studies in combination with microdialysis in the monkey brain, *Brain Res.* 849 (1999) 85-96.
  - 53) Y. Katsumi, T. Hanakawa, H. Fukuyama, T. Hayashi, Y. Nagahama, H. Yamauchi, H. Tsukada, H. Shibasaki, The effect of sequential lesioning in the basal forebrain on cerebral cortical glucose metabolism in rats. an animal positron emission tomography study, *Brain Res.* 837 (1999) 75-82.
  - 54) T. Hayashi, H. Fukuyama, Y. Katsumi, T. Hanakawa, Y. Nagahama, H. Yamauchi, H. Tsukada, H. Shibasaki, Cerebral glucose metabolism in unilateral entorhinal cortex-lesioned rats: an animal PET study, *NeuroReport* 10 (1999) 2113-2118.
  - 55) H. Hasebe, H. Oyamada, S. Kinomura, R. Kawashima, Y. Ouchi, S. Nobezawa, H. Tsukada, E. Yoshikawa, K. Ukai, M. Takagi, H. Abe, H. Fukuda, T. Bando, Human cortical areas activated in relation to vergence eye movements – a PET study, *NeuroImage* 10 (1999) 200-208.
  - 56) H. Tsukada, S. Nishiyama, T. Kakiuchi, H. Ohba, K. Sato, N. Harada, Is synaptic dopamine concentration the exclusive factor which alters the in vivo binding of [<sup>11</sup>C]raclopride ? : PET studies combined with microdialysis in conscious monkeys, *Brain Res.* 841 (1999) 160-169.
  - 57) H. Tsukada, S. Yamazaki, A. Noda, T. Inoue, N. Matsuoka, T. Kakiuchi, S. Nishiyama, S. Nishimura, FK960 [N-(4-acetyl-1-piperazinyl)-p-fluorobenzamide monohydrate], a novel potential antidementia drug, restores the regional cerebral blood flow response abolished by scopolamine but not by HA-966: a PET study with unanesthetized rhesus monkeys, *Brain Res.* 832 (1999) 118-123.
  - 58) C. E. Maggos, H. Tsukada, T. Kakiuchi, S. Nishiyama, J. E. Myers, J. Kreuter, S. D. Schlussman, E. M. Unterwald, A. Ho, M. J. Kreek, Stained withdrawal allows normalization of in vivo [<sup>11</sup>C]N-methyl-spiperone dopamine D<sub>2</sub> receptor binding after chronic binge cocaine: a positron emission tomography study in rats, *Neuropsychopharmacology* 19 (1998) 146-153.
  - 59) H. Tsukada, T. Kakiuchi, H. Shizuno, S. Nishiyama, Interactions of cholinergic and glutamatergic neuronal systems in the functional activation of cerebral blood flow response: a positron emission tomography study in unanesthetized monkeys, *Brain Res.* 796 (1998) 82-90.
  - 60) H. Tsukada, T. Kakiuchi, I. Ando, Y. Ouchi, Functional activation of cerebral blood flow abolished by scopolamine is reversed by cognitive enhancers associated with cholinesterase inhibition: a PET study in unanesthetized monkeys, *J. Pharmacol. Exper. Ther.* 281 (1997) 1408-1414.
  - 61) H. Tsukada, T. Kakiuchi, H. Shizuno, S. Nakanishi, Y. Ouchi, Regulation of cerebral blood flow response to

somatosensory stimulation through cholinergic system: a PET study in unanesthetized monkey, *Brain Res.* 749 (1997) 10-17.

- 62) H. Takechi, H. Onoe, H. Shizuno, E. Yoshikawa, N. Sadato, H. Tsukada, Y. Watanabe, Mapping of cortical areas involved in color vision in nonhuman primate, *Neurosci Lett.* 230 (1997) 17-20.